



Einsatzbereich: - 623
- 923
- 917, 7-polig
- 617, 12-polig

TE Teile Nr.: 61-0004-011-000
IC Ref. Nr.: 61.004.11

Elektrische Werte

Bemessungsstrom max. 10 A*
Durchgangswiderstand < 5 mOhm

Werkstoff

Kontakt Messing, vergoldet

Anschluss


Anschlussart Crimp
Anschlussbereich 0,06 - 1,0 mm² ¹⁾
0,14 - 1,0 mm² ²⁾
- für Isolationscrimp max. ø2,1 mm
Abisolierlänge 6 mm
Crimpeinstellungen sind individuell zu wählen

Mechanische Werte

Steckzyklen 500

Werkzeuge (nicht im Lieferumfang enthalten)

| | | | |
|--------------------------------|---|--|---|
| digitale Crimpzange | TE Teile Nr.: C0-0235-000-000 ¹⁾ IC Ref. Nr.: C0.235.00 ¹⁾ | C0-0236-000-000 ²⁾ C0.236.00 ²⁾ | Hauptabmessungen Kontaktstift |
| analoge Crimpzange | TE Teile Nr.: C0-0101-000-000 ¹⁾ IC Ref. Nr.: C0.101.00 ¹⁾ | C0-0201-000-000 ²⁾ C0.201.00 ²⁾ | |
| Positioniereinsatz | TE Teile Nr.: C0-0003-000-000 IC Ref. Nr.: C0.003.00 | | |
| Crimpen - kraftunterstützt | | | |
| Crimpmaschine | TE Teile Nr.: WA-1672-000-000 IC Ref. Nr.: WA10672 | | |
| digitaler Crimpeinsatz, klein | TE Teile Nr.: C0-0372-000-000 ¹⁾ IC Ref. Nr.: C0.372.00 ¹⁾ | | |
| digitaler Crimpeinsatz, mittel | TE Teile Nr.: C0-0373-000-000 ²⁾ IC Ref. Nr.: C0.373.00 ²⁾ | | |





Contact Pin $\varnothing 1$ mm

for: - 623
- 923
- 917, 7-pin
- 617, 12-pin

TE part number: 61-0004-011-000
IC reference number: 61.004.11

Electrical Data

rated current max. 10 A*
contact resistance < 5 mOhm

Material

contact brass, gold plated

Termination


kind of termination crimp
cross-section 0.06 - 1.0 mm² ¹⁾
0.14 - 1.0 mm² ²⁾
- for insulation crimp max. $\varnothing 2.1$ mm
stripping length 6 mm
crimp settings select individually

Mechanical Data

mating cycles 500

Tools (not part of product contents)

| | | |
|------------------------------|--|--|
| digital crimping tool | TE part no.: C0-0235-000-000 ¹⁾ IC ref. no.: C0.235.00 ¹⁾ | C0-0236-000-000 ²⁾ C0.236.00 ²⁾ |
| analog crimping tool | TE part no.: C0-0101-000-000 ¹⁾ IC ref. no.: C0.101.00 ¹⁾ | C0-0201-000-000 ²⁾ C0.201.00 ²⁾ |
| positioner | TE part no.: C0-0003-000-000 IC ref. no.: C0.003.00 | |
| power crimping | | |
| crimping machine | TE part no.: WA-1672-000-000 IC ref. no.: WA10672 | |
| digital crimp insert, small | TE part no.: C0-0372-000-000 ¹⁾ IC ref. no.: C0.372.00 ¹⁾ | |
| digital crimp insert, medium | TE part no.: C0-0373-000-000 ²⁾ IC ref. no.: C0.373.00 ²⁾ | |



Main Dimensions

contact pin

Y6-B090.-000-0EN issued: 22.07.2009/VE; modified: 29.06.2018/KC

© 2018 TE Connectivity

TE Connectivity, TE connectivity (logo), intercontec (logo) and speedtec are trademarks.

While TE Connectivity (TE) has made every reasonable effort to ensure the accuracy of the information in this presentation, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this article are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

TE Connectivity Industrial GmbH
Bernrieder Straße 15
94559 Niederwinkling, Germany
+49 9962 2002 - 0
intercontec@te.com
www.intercontec.biz



* for max. wire cross-section