

Connector PowerTOP® Xtra

Part no. 14248



- rubberised handle area
- X-CONTACT®
- highly heat resistant contact carrier
- frame terminals
- cable gland and sealing
- strain relief and protection against kinking
- enclosure with thread lock
- two safety slid

Technical specifications

Ampere	63 A
Poles	5 p
Voltage	50-500 V
Clock position	1 h
Connection technology	Screw terminals
Contact	highly heat resistant contact carrier, X-CONTACT®
Protection type	IP 67
Weight	944 g
Declaration of Conformity	DE, VDE, CN, CQC

Drawing



Drawing 3 MB 68	Amp. Poles	63			125		
		3	4	5	3	4	5
Dim. in mm	a	270	270	270	310	310	310
	b	113	113	113	125	125	125
	h	123	123	123	135	135	135
	y	36	36	36	49	49	49
Terminal for cond. cross		6	6	6	25	25	25
section (mm ²) min.-max.		-16	-16	-16	-50	-50	-50

Kupplung PowerTOP® Xtra

Bestellnr. 14248




- Schraubkontakt
- X-CONTACT®
- gummierte Griffflächen
- Rahmenklemmen
- hochwärmebeständige Kontaktträger
- Verschraubung mit Abdichtung
- Zugentlastung und Kabelknickschutz
- Gehäuse mit Gewindeverschluss
- Sicherungsschieber für Gehäuse und Verschraubung

Technische Daten

Ampere	63 A
Pole	5 p
Volt	50-500 V
Uhrzeitstellung	1 h
Anschlussstechnik	Schraubkontakt
Kontakt	hochwärmebeständige Kontaktträger, X-CONTACT®
Schutzart	IP 67
Gewicht	944 g
Prüfzeichen	DE, VDE, CN, CQC

Abmessungen



Zeichnung 3 MB 68	Amp. Pole	63			125		
		3	4	5	3	4	5
Maße in mm	a	270	270	270	310	310	310
	b	113	113	113	125	125	125
	h	123	123	123	135	135	135
	y	36	36	36	49	49	49
Klemmen für Leiterquer-		6	6	6	25	25	25
schnitt von bis mm?		-16	-16	-16	-50	-50	-50

**Release Page:**

Document title:	Connector PowerTOP® Xtra - 14248 Kupplung PowerTOP® Xtra - 14248
-----------------	--

Document number: 2007529IN**Revision:** 0**Language:** IN**Department:** Engineering/ELE**Reviewer/Date:** Gottwald Florian:
2020-02-14**Classification
(Confidentiality):** Nordex Internal
Purpose**Status:** Released**Approver/Date:** Paashaus Steven:
2020-02-14**Main AST:** 21845**External document
number:** Kupplung PowerTOP®
Xtra - 14248**External Version:****External Release
Date:** 13.02.2020**Source:** SUPPLIER